

Beautifully simple.

LVT that works. Every single time.

In stock & ready when you are.

0.55 mm wear layer.

Think Play Sketch Specif pacia.



Get creative with our **Room Visualiser**

Explore patterns and colours for your next project.

amtico.com

Contents

- Wood
- **Stone**
- Stripping
- Acoustic

- Projects

Specify Spacia 4 Parquets 10 22 36 37 **Enhanced Protection** 38 **Laying Patterns** 40 Sustainability 44 46 **Product Availability** 54 Packaging 56

8

If you're looking for a

Specify Spacia.

collection that's reliably beautiful. One that can feel both contemporary and timeless. That's in stock and ready when you are. And supported by seamless service. A collection that delivers, every single time.



Specify Spacia

For a floor that's ready when you are. Installed in hours. Fresh for years.

Spacia is always in stock^{*} – so it can be ready when you are, and is guaranteed to perform for 10 years.



Carriage Oak - Stripwood with Horizon - Broken Bond

36 New products

0.55 mm 36+

Wear layer

10 Year warranty 94 Designs for greater choice

36+ Safety option available*

74 Wood and Stone parquet designs

For a floor that just works.

With a combination of seamless service and a balanced, versatile palette, Spacia is a collection you'll return to again and again.

Specify Spacia.


We offer expert support with a free online sup service for samples.

ort ply	
cial	

For Parquet your way.

Timeless and classic, people come back to parquet again and again. So, our updated Spacia collection has the biggest selection ever of 74 parquet options in two sizes for you to play with. Naturally there's the traditional wood designs. But for a really contemporary vibe, we now have stone parquet options in the subtle new Tones palette (p31) and in Spacia's four elegant marble designs (p29).

Blackened Spa Wood – Small Parquet SP136






Grey Marble – Large Parquet SP146



Small Parquet Available in Wood & Stone

Planks & Tiles: 76.2 x 228.6 mm (3 x 9")



Large Parquet Available in Wood & Stone

Planks & Tiles: 101.6 x 457.2 mm (4 x 18")

Explore Spacia Parquet options.







Coastal Pine SS5W3029

Cool Woods

Credenza Oak SS5W3035

🕅 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

White Ash SS5W2540

Ø



Sash Oak SS5W3032 Nordic Oak SS5W2550







Smoked Timber SS5W2652



Scorched Timber SS5W3024





Drift Pine SS5W3027



Blackened Spa Wood SS5W3025





12



Weathered Oak SS5W2524

Neutral Woods

Worn Ash SS5W2539

🕅 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

White Oak SS5W2548

Bleached Elm SS5W2516

Sun Bleached Oak SS5W2531









Hampton Oak SS5W3031



Haven Oak SS5W3033





Estuary Pine SS5W3028



Dusky Walnut SS5W2542





14



N

Muted Oak SS5W3312

Golden Woods

🕅 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Eden Oak SS5W1010

Canopy Oak









Featured Oak SS5W2533



Dry Cedar SS5W2535



Limed Wood Natural SS5W2549



Mulled Oak SS5W3313



Noble Oak SS5W3030



Pale Ash SS5W2518





New England Oak SS5W2527

Smoothbark Hickory SS5W2545

Warm Woods

🛛 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Warm Maple SS5W2502

Sherwood Oak SS5W2532



 \boxtimes









Royal Oak SS5W2530



Rustic Barn Wood SS5W2513



Traditional Oak SS5W2514



Exotic Walnut SS5W2541



Black Walnut SS5W2534





Heritage Oaks

Forge Oak SS5W3317

Malthouse Oak SS5W3315







Carriage Oak SS5W3316

Granary Oak SS5W3318

Our Heritage Oak designs feature a beautifully tactile and realistic surface texture. Using in-register emboss (IRE) technology, the physical grain carefully follows the wood design, resulting in a highly natural, organic finish.



Explore the latest Oak designs in the Spacia collection.





Salvaged Timber

🕅 Only available in Large Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Salvaged Timber is our interpretation of authentic reclaimed wood, so the colour tones and texture effects have a high degree of variation across individual planks. Please visit the website for more information and product imagery.

٦	Find out more
	about Spacia
	Salvaged Timber.







Urban Salvaged Timber SS5W3323

Washed Salvaged Timber SS5W3322



 \boxtimes Rialto Concrete SS5S2611



Villa Concrete SS5S2612

Cool Stones

🔀 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Linear Stone Shale SS5S3606

Plaza Concrete SS5S3070



Mirus Feather SS5A6120

Gallery Concrete SS5S3071



22





Metropolis Ice SS5A2617





Monument Concrete SS5S3072





Zinc SS5A3620









Ceramic Frost SS5S1591

Stanton Stone SS5S1593

Pale Stones

For 36+ slip resistant and acoustic solutions see pages 37-39.

Kingham Stone SS5S1594

Dry Stone Alba SS5S4401



Ceramic Ecru SS5S3592

Mirus Cotton SS5A6110









Limestone Cool SS5S1561



Ceramic Light SS5S1565





Fairford Stone SS5S1595





26





Century Concrete SS5S3069

Ceramic Dark SS5S3566

Neutral Stones

For 36+ slip resistant and acoustic solutions see pages 37-39.

Ceramic Flint SS5S2594

Bronze SS5A4805





Monmouth Slate SS5S7501

Steel SS5A2804









Mirus Hemp SS5A6130



Metropolis Smoke SS5A2627





Ceramic Sable SS5S3593







White Marble SS5S2618

Marble

🛛 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Rose Marble SS5S2620





Grey Marble SS5S2619



Explore Spacia Marble



Black Marble SS5S2621





Tones

🛛 Available in Large and Small Parquet.

510²⁴51618

Licher 2629

580,55⁶⁶³¹

For 36+ slip resistant and acoustic solutions see pages 37-39.






Terrazzo

For 36+ slip resistant and acoustic solutions see pages 37-39.

Find out more about Spacia's two Terrazzo designs.







Amalfi SS5S2609


Elemental Terrazzo

🕅 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Each Elemental Terrazzo has its own coordinating concrete, making zoning and way finding a breeze.





Rialto Concrete SS5S2611



Find out more about Spacia's two Terrazzo designs.



Capri SS5S2610

Stripping

Amtico stripping - add contrast, definition or create a grout effect.

Feature stripping is available in the following sizes*:

3.2 mm x 914.4 mm

6.4 mm x 914.4 mm

9.5 mm x 914.4 mm

*Sizes shown are not actual size

12.7 mm x 914.4 mm

19.9 mm x 914.4 mm

American Oak	AR0W7050
Bronze	AR0AMP18
Cirrus Air	AR0W8100
and the second sec	and the second
Concrete Pale	AROSCN30
Fused Birch	AR0W7500
Gold	AROAMP78
	and all set and
Mirabelle Crème	AROSMB14
Pure Plain Black	AR0APN22

Pure Plain White	AR0APN11
Shimmer Denim	AR0ASE39
Silver	AR0AMP38
and the second se	and the second second
Stria Basalt	AROSMS43
and the second second second	the state
Stria Sediment	AROSMS14
Stria Volcanic	AR0SMS42
	Reaction of Solid Inc
Wenge Wood	AR0W7490
COMPACTOR OF MUSIC A STATISTICS	
Wild Walnut	AR0W7620

Choose stripping that complements the tone and materiality of planks and tiles, then combine them in one of our timeless patterns.

Stria Basalt

AROSMS43

3.2 mm stripping represented in this example.



Fairford Stone

SS5S1595



Laid in Uniform Block

Acoustic

Amtico Acoustic Turn great looking places into **great sounding** spaces.



Specify on demand

Amtico Acoustic is applied in production, removing the need for additional underlay. It enhances the acoustic properties of Spacia LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of underfoot comfort.

Optional Acoustic backing can be specified on all Spacia products except Heritage Oaks and patterns requiring stripping.

What silence looks like.

_

Learn how we can solve sound transmission issues in your next project



Enhanced performance and protection

Clearly superior resistance.

36+ slip resistant planks and tiles.

Made to the same exacting standards as standard Amtico LVT, Spacia 36+ gives you the performance of slip resistant sheet but with the enhanced design possibilities that LVT planks and tiles bring.

Add an extra level of safety to your next project with our high-performance slip resistant flooring.

Specify Spacia 36+*



. /	WET
$\nabla / $	PENDULUM
	≥36
	-00





ENHANCED SLIP RESISTANCE

11 PLANK AND TILE SIZES



Amtico Antimicrobial protection.

Spacia is specified with integral, antimicrobial protection*.

Under independent tests this active ingredient has been proven to reduce bacteria growth by 99% over 24 hours when compared with standard product of a similar type and construction.

This means Amtico Spacia brings an extra level of defence, giving you peace of mind between cleanings.



24HR PROTECTION






Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction against an untreated control and a reduction of >99.9% against the initial inoculation after 24hrs.

Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

Broken Bond




Tiles: 304.8 x 457.2 mm / 12 x 18" 609.6 x 914.4 mm / 24 x 36"




Gallery Concrete SS5S3071

Bonded Stone




Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18" 914.4 x 914.4 mm / 36 x 36"

Uniform Tile



Tiles: 304.8 x 304.8 mm / 12 x 12" 457.2 x 457.2 mm / 18 x 18" 914.4 x 914.4 mm / 36 x 36"* *We recommend installing this size tessellated

Uniform Block



Tiles: 304.8 x 457.2 mm / 12 x 18" 609.6 x 914.4 mm / 24 x 36" 76.2 x 228.6 mm/ 3 x 9" 101.6 x 457.2 mm/ 4 x 18"



Horizon SS5S2634

Explore all the ways to lay Spacia planks and tiles. amtico.com/commercial/spacia





Metropolis Ice SS5A2617




Kingham Stone SS5S1594


Laying Patterns

Spacia's flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

Linear Block




Tiles: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48" 76.2 x 228.6 mm/ 3 x 9" 101.6 x 457.2 mm/ 4 x 18"



Grey Marble with Pure Plain White Stripping SS5S2619

Stripwood




Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"




New England Oak SS5W2527

Deck Block



Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"

Wicket



Planks: 101.6 x 914.4 mm / 4 x 36" 184.2 x 1219.2 mm / 7.25 x 48"

Explore all the ways to lay Spacia planks and tiles. amtico.com/commercial/spacia



Nordic Oak with Stria Volcanic Stripping SS5W2550



Muted Oak SS5W3312

ON CLIMATE, ON WASTE, ON PEOPLE AND INNOVATION, **THIS IS WHERE** WE STAND.

Greenwashing 20 year goals Half measures

RESPONSIBLE

FOUNDATIONS



Our plan is for right now, today.



LEADING MANUFACTURERS SHOULD BE CLIMATE LEADERS, TOO.



WE WOULD BE **NOTHING WITHOUT OUR 582-STRONG** FAMILY.



Our approach to the future of flooring is all about data, real targets and hard work. Find out more about how we're building a better business and more sustainable future for us all.



IF WE CAN REDUCE SOME WASTE, WE CAN REDUCE **ALL WASTE.**




OUR GOAL IS MAKING FLOORING FIT FOR THE FUTURE.





Read our full sustainability strategy at amtico.com/wherewestand





Highlights

Location **Birmingham, UK**

Sector Hospitality & Leisure

Collection
Amtico Spacia 36+








"The Gas Lamp was an important project for Aston Villa FC, Levy UK and Benchmark, bringing an underused area up to high quality hospitality use. The Amtico Spacia 36+ range allowed the flooring to be stylish, functional and cost effective."

Paul Smith, Projects Director Benchmark







Highlights

Location Herzogenaurach, Germany

Sector Office

Collection Amtico Spacia






10 Year commercial warranty





Projects – Ten Degrees, 100a George Street



Highlights

Location
South London, UK

Sector Build to Rent

Collection Amtico Spacia

35,000 m² of Acoustic

Spacia product






"We use Amtico LVT flooring because we like the balance the product brings in terms of aesthetic quality, variety in finishes, flexibility in pattern and robustness in wear."

Neal Shah, Design Director Greystar Europe Holdings







"The showroom's previous floor was not fit for purpose, so durability was a key factor when choosing a replacement. With an established relationship with Amtico on our exhibition displays, we know the quality of the products. By using the Spacia collection in the oak and concrete shades, it really helps to complement Smeg's semi-industrial look."

John Davies, Head of Marketing Smeg UK



Highlights

Location **Oxfordshire, UK**

Sector **Retail**

Collection Amtico Spacia

2 Products used



2 Laying patterns





Product Availability – Wood

Size & Specification

QGE = Quantum Guard Elite F									PQ =	Parque Boardv	et	ns						
Product Name	Product Code	Surface Textures	Surface Coating	Optional Availability	r Straight Grain X G							ХG	rain	1	PQ Small	PQ Large	BDW	Optional Availability
				101.6 × 914.4 mm (4 × 36")	101.6 × 914.4 mm (4 × 36") 184.2 × 1219.2 mm (7.25 × 48")	304.8 × 304.8 mm (12 × 12")	304.8 × 457.2 mm (12 × 18")	457.2 × 457.2 mm (18 × 18")	609.6 × 914.4 mm (24 × 36")	914.4 × 914.4 mm (36 × 36")	101.6 × 914.4 mm (4 × 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 × 457.2 mm (12 × 18")	76.2 × 228.6 mm (3 × 9″)	101.6 × 457.2 mm (4 × 18")	101.6 × 914.4 mm (4 × 36") 184.2 × 1219.2 mm (7.25 × 48")		
Black Walnut	SS5W2534	Tick	QGE		•	•									SP122	SP160		
Blackened Spa Wood	SS5W3025	Barnwood	QGE		•	•									SP136	SP174		
Bleached Elm	SS5W2516	Tick	QGE		•	•		-					_					
Canopy Oak	SS5W1020	Tick	QGE			•		-					_					
Carriage Oak	SS5W3316	Heritage	AO		-	•		-	-									<u> </u>
Coastal Pine	SS5W3029	Barnwood	QGE			•		-	-			\vdash	_		SP127	SP165		
Credenza Oak	SS5W3029 SS5W3035	Barnwood	QGE		•	•		-	-						JF 127	0-100		
Drift Pine					•	•	-	-	-									
	SS5W3027	Barnwood	QGE					-	-									
Dry Cedar	SS5W2535	Barnwood	QGE		•	•												
Dusky Walnut	SS5W2542	Tick	QGE		•	•	-											
Eden Oak	SS5W1010	Tick	QGE		•	•												
Estuary Pine	SS5W3028	Barnwood	QGE		•	•												
Exotic Walnut	SS5W2541	Tick Tick /	QGE		•	•									00100	SP170		
Featured Oak	SS5W2533	Barnwood	QGE		•	•									SP132 SP133	SP170		
Forge Oak	SS5W3317	Heritage	AO			•												
Granary Oak	SS5W3318	Heritage	AO			•												
Hampton Oak	SS5W3031	Tick	QGE		•	•												
Haven Oak	SS5W3033	Tick	QGE		•	•												
Honey Oak	SS5W2504	Tick / Barnwood	QGE	• • •	•	•									SP128 SP129	SP166 SP167		• • •
Iced Oak	SS5W3310	Tick	QGE			•									SP104	SP140		
Limed Wood Natural	SS5W2549	Tick	QGE		•	•												
Malthouse Oak	SS5W3315	Heritage	AO			•												
Mulled Oak	SS5W3313	Tick	QGE			•									SP101	SP137		
Muted Oak	SS5W3312	Tick	QGE			•									SP102	SP138		
New England Oak	SS5W2527	Tick / Barnwood	QGE	• • •	•	•												
Noble Oak	SS5W3030	Tick	QGE		•	•									SP121	SP159		
Nordic Oak	SS5W2550	Tick / Barnwood	QGE		•	•									SP124 SP125	SP162 SP163		
Pale Ash	SS5W2518	Tick	QGE		•	•									SP120			
Powdered Oak	SS5W3311	Tick	QGE			•									SP103			
Royal Oak	SS5W2530	Tick / Barnwood	QGE	• • •	•	•									SP134 SP135	SP172		• • •
Rustic Barn Wood	SS5W2513	Barnwood	QGE		•	•												
Sash Oak	SS5W3032	Tick	QGE		•	•												
Scorched Timber	SS5W3024	Barnwood	QGE		•	•												
Sherwood Oak	SS5W2532	Tick / Barnwood	QGE		•	•												
Smoked Timber	SS5W2652	Barnwood	QGE		•	•												
Smoothbark Hickory	SS5W2545	Tick	QGE		•	•												
Sun Bleached Oak	SS5W2531	Barnwood	QGE		•	•									SP126	SP164		
Traditional Oak	SS5W2514	Tick / Barnwood	QGE	• • •	•	•									SP130 SP131	SP168 SP169		• • •
Urban Salvaged Timber	SS5W3323	Barnwood	QGE			•										SP142	SP176	
Warm Maple	SS5W2502	Tick	QGE		•	•												
Washed Salvaged Timber	SS5W3322	Barnwood	QGE			•										SP141	SP175	
Weathered Oak	SS5W2524	Barnwood	QGE		•	•												
White Ash	SS5W2540	Barnwood	QGE		•	•									SP123	SP161		
White Maple	SS5W2654	Tick	QGE		•	•												
White Oak	SS5W2548	Tick	QGE		•	•												
Worn Ash	SS5W2539	Barnwood	QGE			•												

Product Availability – Stone

Size & Specification

Single Tiles

QGE = Quantum Guard Elite AO = Aluminium Oxide Coating = Acoustic backing = 36+ Slip resistant

Product	Product		Surface	Optional											PQ	PQ		Optional
Name	Code	Finish	Coating	Availability	Str	aigh	nt Gi	rain				XG	rair	1	Small	Large		Availability
					101.6 × 914.4 mm (4 × 36")	184.2 × 1219.2 mm (7.25 × 48")	304.8 × 304.8 mm (12 × 12")	304.8 × 457.2 mm (12 × 18")	457.2 × 457.2 mm (18 × 18")	609.6 × 914.4 mm (24 × 36")	914.4 x 914.4 mm (36 x 36")	101.6 × 914.4 mm (4 × 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 × 457.2 mm (12 × 18")	76.2 x 228.6 mm (3 x 9")	101.6 × 457.2 mm (4 × 18")	101.6 × 914.4 mm (4 × 36") 184.2 × 1219.2 mm (7.25 × 48")	
Amalfi	SS5S2609	Ceramic	QGE			~			•	•	•	-	-			-		
Black Marble	SS5S2621	Ceramic	QGE				•	•	•						SP106	SP144		
Bronze	SS5A4805	Ceramic	QGE					•										
Capri	SS5S2610	Ceramic	QGE						•	•	•							
Century Concrete	SS5S3069	Ceramic	QGE					•	•	•	•							
Ceramic Dark	SS5S3566	Ceramic	QGE					•	•									
Ceramic Ecru	SS5S3592	Ceramic	QGE					•	•									
Ceramic Flint	SS5S2594	Ceramic	QGE					•	•									
Ceramic Frost	SS5S1591	Ceramic	QGE				•	•	•									
Ceramic Light	SS5S1565	Ceramic	QGE					•	•									
Ceramic Sable	SS5S3593	Ceramic	QGE					•	•									
Dry Stone Alba	SS5S4401	Ceramic	QGE					•	•									
Earth	SS5S2637	Ceramic	QGE				•	•	•	•	•				SP112	SP150		
Fairford Stone	SS5S1595	Ceramic	QGE				•	•	•	•	•							
Gallery Concrete	SS5S3071	Ceramic	QGE							•	•							
Gibson	SS5S2603	Ceramic	QGE				•		•		•							
Grey Marble	SS5S2619	Ceramic	QGE				•	•	•						SP108	SP146		
Highball	SS5S2608	Ceramic	QGE				•		•									
Horizon	SS5S2634	Ceramic	QGE				•	•	•	•	•				SP113	SP151		
Julep	SS5S2606	Ceramic	QGE				•	-	•	-	•				01 110	01.101		
Kingham Stone	SS5S1594	Ceramic	QGE				•		•	•	•							
Lichen	SS5S2629	Ceramic	QGE				•	•	•	•	•				SP115	SP153		
Limestone Cool	SS5S1561	Ceramic	QGE				•	•	•	-	-				01 110			
Linear Stone Shale	SS5S3606	Ceramic	QGE				-	•					_	•				
Metropolis Ice	SS5A2617	Ceramic	QGE					•	•					-				
Metropolis Smoke	SS5A2627	Ceramic	QGE					•	•									
Mimosa	SS5S2607	Ceramic	QGE		-		•	-	•		•							
Mirus Cotton	SS5A6110	Ceramic	QGE			•	-		-		•			•				
Mirus Feather	SS5A6120	Ceramic	QGE		•	•							_	•				
Mirus Hemp	SS5A6130	Ceramic	QGE			•							_	•				
Monmouth Slate	SS5S7501	Riven	QGE		-	•		•	•				_	•				
Monument Concrete	SS5S3072	Ceramic	QGE					•	•	•	•							
Negroni	SS5S2604	Ceramic	QGE				•	•	•	•	•							
Pampas	SS5S2635	Ceramic	QGE				•	•	•	•	•				SP110	SP148		
Peak	SS5S2633	Ceramic	-		-			-	•	•	•				SP111	SP149		
Plaza Concrete	SS5S2033 SS5S3070	Ceramic	QGE QGE				•	•	•	•	•				5	51 143		
Rialto Concrete	SS5S2611	Ceramic	QGE				•	•	•	•	•				SP118	SP156		
Rose Marble	SS5S2620	Ceramic	QGE			-	•	•	•	-	-	-	-	-	SP107			
Salt	SS5S2620 SS5S2632	Ceramic	QGE				•	•	•	•	•	-			SP107	SP145		
Sea	SS5S2632 SS5S2631	Ceramic	QGE				•	•	•	•	•				SP114	SP155		
Sidecar	SS5S2605	Ceramic	QGE				•	-	•	-	-		-		01 114	01 102		
Snow	SS5S2605 SS5S2628	Ceramic	QGE		-	-	•	•	•	•	•	-	-	-	SP116	SP154		
Stanton Stone	SS5S2628 SS5S1593							-			•	-		-	5-110	55 104		
Stanton Stone	SS5S1593 SS5A2804	Ceramic Ceramic	QGE		-		•	•	•	•	•							
			QGE				-	•							SD110	SP157		
Villa Concrete	SS5S2612	Ceramic	QGE				•	•	•	•	•				SP119			
Vista	SS5S2636	Ceramic	QGE				•	•	•	•	•	-			SP109			
White Marble	SS5S2618	Ceramic	QGE				•	•	•						SP105	SP143		

Products bevelled as standard. Please note all sizes and availability are correct at the time of press. Please contact your local sales representative for the latest information.

Laying Patterns

PQ = Parquet BDW = Boardwalk


Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

Standard Spacia Product									
Details	101.6 × 914.4 mm (4 × 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 × 304.8 mm (12 × 12")	304.8 × 457.2 mm (12 × 18")	4572 x 4572 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 76.2 × 228.6 mm (3 × 9")	Large Parquet 101.6 x 457.2 mm (4 x 18")
Plank/Tile per Box	27	9	27	18	12	5	8	144	54
M² per Box	2.5	2	2.5	2.5	2.5	2.78	6.69	2.5	2.5
Weight (kg) per Box	8.88	7.23	8.78	8.76	8.99	10.72	24.41	8.78	8.76
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M² per Pallet	180	180	180	180	180	111.2	200.7	180	180
Weight (kg) per Pallet	639.00	650.31	632.16	630.64	647.48	428.68	732.19	632.43	630.64

The 4 Heritage Oaks are boxed in 2.25 $m^2\,$ in 184.2 x 1219.2 mm (7.25 x 48")

Acoustic Spacia Product									
Details	101.6 x 914.4 mm (4 x 36")	184.2 × 1219.2 mm (7.25 × 48")	304.8 × 304.8 mm (12×12″)	304.8 x 457.2 mm (12 x 18")	4572 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	Small Parquet 228.6 × 76.2 mm (9 × 3")	Large Parquet 4572 × 101.6 mm (18 × 4″)
Plank/Tile per Box	20	6	20	13	9	4	6	102	39
M² per Box	1.86	1.34	1.86	1.81	1.88	2.23	5.01	1.78	1.81
Weight (kg) per Box	7.24	5.37	7.25	7.05	7.54	9.63	20.45	6.96	7.05
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M² per Pallet	133.92	120.6	133.92	130.32	135.36	89.2	200.4	128.16	130.32
Weight (kg) per Pallet	521.45	483.19	522.36	507.34	543.08	385.1	817.9	501.03	507.34



			7	
. 1	_	-		

View our technical information on our website.



	Amtico Spacia products have been UPEC classified, therefore conforming to local French certification.
CE	The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).
UK CA	The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).
Correction Control Con	Amtico International GmbH is a member of the DGNB German Sustainable Building Council.
150 14/0012015 Horometal Maragement	Our environmental system complies with ISO 14001 and is certified by BSI
	SOL PVC Pro is the French professional organisation of PVC flooring manufacturers; standing for their shared values and commitments related to environment, comfort, regulation and communication. Amtico International partensire de Sols Pvc ^{reo}



Amtico UK & European Sales

Solar Park Southside Solihull, West Midlands B90 4SH, UK +44 (0) 121 745 0800 samples@amtico.com

South European Sales

Español: +34 (0) 91114 74 42 English: +44 (0)1217450842 Sales.southeurope@amtico.com Samples: info@amtico.de

Amtico Head Office

Kingfield Road Coventry CV6 5AA, UK +44 (0) 24 7686 1400 samples@amtico.com

Amtico International Germany

Im Taubental 11 41468 Neuss, Germany +49 (0) 2131 359 16 0 info@amtico.de

Amtico International France

36 Avenue Hoche 75008 Paris, France +33 (0) 1 55 38 95 70 info@amtico.fr

Amtico International Scandinavia

S:t Olofsgatan 11A 753 21 Uppsala +46 (0) 8 584 233 24 info@amtico.se

Amtico International Asia

Rm 2003 20/F OfficePlus @ Wan Chai 303 Hennessy Rd, Hong Kong +852 2327 7703 samples@amtico.com

Amtico International Middle East, Africa & India

8th Floor Building Number 2 J&G DMCC, Dubai, UAE +971 (0) 50 192 33 46 samples@amtico.com

Amtico International Pty Ltd Australia & New Zealand

Unit 1, 40 Mill Street, Yarrabilba 4207 Australia australia.orders@amtico.com

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582, EN13845 and EN651. Brochure correct at the time of printing.

Click Call Chat Specify Spacia.

amtico.com

