




Maglia™ C5

CONTRACT | HEALTHCARE | PUBLIC SPACES



MC5-1984

TRUFFLE

PERMABLOK³®

ADVANCED VINYL PROTECTION

Improved dye resistance and cleaning



Permablok³® from Spradling® is vinyl protective coating engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments: germs, abrasions and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.

SUPERIOR PROTECTION AGAINST GERMS

Virucidal activity

ISO 18184:20191¹: Coated Fabrics treated with PERMABLOK³® are proven to reduce the presence of Coronavirus* by more than 90% within one hour of contact.









ISO 21702:20192²: All the Coated Fabrics treated with PERMABLOK³® are capable of reducing the Coronavirus* activity by 99,9% within 24 hours of exposure on the surface.

Bacteriostatic Properties

ISO 22196:2011. Value of antibacterial** activity R>2.

1. Determination of antiviral activity of textile products
 2. Measurement of antiviral activity on plastics and other non-porous surfaces
 * Testing was conducted with material exposed to Feline Coronavirus (same coronavirus family, structures and mechanisms similar to SARS-Cov2)
 ** Testing was conducted with material exposed to Staphylococcus aureus, Staphylococcus aureus (MRSA), Escherichia coli and Klebsiella pneumoniae.

CHOOSE COATED FABRICS, CHOOSE SPRADLING®

-  Exzellente Abriebfestigkeit / Resistencia a la abrasión / Resistance a l'abrasion / Abrasion resistant / Resistenza all'abrasione / Doskonała odporność na ścieranie
-  Wasserabweisend / Impermeabilidad / Imperméabilité / Impermeability / Impermeabilità / Wodoodporny
-  Lichtechtheit / Durabilidad del color a la luz / Résistance à la lumière / UV resistant / Resistenza raggi solari / Odporny na promieniowanie UV
-  Kältebruchresistent / Resistencia a bajas temperaturas / Résistance aux basses températures / Low temp. resistant / Resistenza alla rottura da freddo / Odporny na niskie temperatury
-  Antimikrobiell ausgerüstet / Resistencia a microorganismos / Protection contre des micro-organismes / Mildew resistant / Antimuffa / Odporny na pleśń
-  Einfache Reinigung / Fácil limpieza / Facilité d'entretien / Easy to clean / Facile da pulire / Łatwy do czyszczenia
-  Flammhemmend ausgerüstet / Retardancia al fuego / Retardement au feu / Flame retardant / Ritardanza al fuoco / Produkt uniepalniony
-  Chemikalienbeständig / Resistencia a químicos / Résistance aux produits chimiques / Chemical resistant / Resistenza chimica / Odporny na chemikalia³

3. Bitte anfragen / Pregunte por asesoría / Sur demande / Upon request / Si prega d'informarsi / na życzenie

All Spradling® products and services are offered and sold subject to the Spradling® General Terms and Conditions of Sale, available for download under www.spradling.eu. Please follow our manufacturing and maintenance guidelines, also available under www.spradling.eu. In the event of failure to comply with these guidelines, no liability is assumed by the manufacturer and any warranty claim(s) (if applicable) expire.




MC5-0010 ARCTIC




MC5-0002 UYUNI




MC5-0004 OAK




MC5-0003 GINGER



MC5-0007 GRANITE




MC5-0005 ALASKA




MC5-0008 ASH



MC5-0006 THUNDER




MC5-0012 BLACKCAVE



MC5-0017 MINUIT




MC5-0016 PRIMROSE



MC5-0011 FJORD




MC5-0019 SVALBARD




MC5-0018 KYANITE



MC5-0013 INDIGO




MC5-0014 HIVE



MC5-0009 BLOSSOM



MC5-0015 MARS

 No Master samples (not suitable for colour matching and quality control / testing purposes). Commercially acceptable colour shifts may occur between production runs. As such lot separation is recommended.




 For Care and Cleaning instructions please visit our website
WWW.SPRADLING.EU

[CLICK HERE TO SEE THE PRODUCT TECHNICAL SPECIFICATIONS](#)



Maglia™ C5

Ft. Valencia™ C5 & Silvertex® C5



Maglia™ C5

Ft. Valencia™ C5 & Silvertex® C5

Maglia™ C5
ASH
MC5-0008

Valencia™ C5
AUSTER
238-4040

Silvertex® C5
CARBON
239-9002

Maglia™ C5
KYANITE
MC5-0018

Valencia™ C5
DELFT
238-3067

Silvertex® C5
SAPPHIRE
239-3007

Maglia™ C5
BLACKCAVE
MC5-0012

Valencia™ C5
PERLE
238-4045

Silvertex® C5
STORM
239-4002


Maglia™ C5
SVALBARD
MC5-0019

Valencia™ C5
SKYLIGHT
238-2107

Silvertex® C5
ICE
239-4004





Maglia™ C5

Ft. Valencia™ C5 & Silvertex® C5




Maglia™ C5

Ft. Valencia™ C5 & Silvertex® C5



Maglia™ C5

Ft. Valencia™ C5 & Silvertex® C5



SPRADLING®

Inspiration that covers the world

WWW.SPRADLING.EU